4 SEM TDC CHMH (CBCS) C 8

2024

(May/June)

CHEMISTRY

(Core)

Paper: C-8

(Inorganic Chemistry)

Full Marks: 53
Pass Marks: 21

Time: 3 hours

The figures in the margin indicate full marks for the questions

1. Select the correct answer:

1×6=6

- (a) Which of the following has the highest lability?
 - (i) SF₆
 - (ii) [PF₆]
 - (iii) [SiF₆]²⁻
 - (iv) [AIF₆]³⁻

24P/1233

4th SEN 36

(Turn Over)

(b) The CFSE for the d^3 -ion in strong crystal field is

(i) 4 Da

(ii) 8 Dq

(iii) 12 Dq

(iv) 16 Dq

The metal present in anhydrase is carbonic

(i) Mg

(ii) Fe

(iii) Zn

(iv) Co

(d) If ingested, cadmium accumulates in

(i) liver

(ii) kidney

(iii) bone

(iv) muscles

In the complex [Cu(H2O)6]2+, the metal ion has configuration

(i) d1

(ii) d^2

(iii) d9

(iv) d^4

4 f-electrons in number The (f) lanthanum is

(i) O

(ii) 1

(iii) 2

(iv) 5

UNIT-I

2. Answer the following questions:

 $2 \times 4 = 8$

What are labile and inert complexes? Give examples.

2

stabilization crystal field Define energy. Find CFSE for strong field 1+1=2 d⁵ complex.

24P/1233

(Turn Over)

(c) Arrange the ligands I, CO, Cl, CN and H2O in the increasing order of the strength as given in spectrochemical series. Which of the following complexes has larger Δ_0 value?

 $[Fe(H_2O)_6]^{3+}$ or $[Fe(H_2O)_6]^{2+}$

(d) Write IUPAC names of the following (i) [Co(NH₃)₅SCN]Cl₂

(ii) K₃[Co(CN)₅NO]

3. Answer any two questions:

3×2=6

- (a) What are ionization isomerism, linkage isomerism and coordination isomerism in coordination complexes? Explain Answer die folieling questione
- (b) Define stereoisomerism in complexes. Discuss the stereoisomerism exhibited by the complex ion, $[Co(en)_2(NH_3)_2]^{3+}$. Acceptable best latered and w1+2=3

(c) Write three basic postulates of valence bond theory (VBT) in complexes.

4. Answer any two questions: 4×2=8

- (a) Discuss the crystal field splitting in the complex [Fe(CN)6]4-. Calculate its spin only magnetic moment and crystal field stabilization energy. 2+2=4
- For the $[Cr(H_2O)_6]^{2+}$ ion, the mean pairing energy (P) is found to be 23500 cm⁻¹. The magnitude of Δ_0 is 13900 cm⁻¹. Calculate the CFSE for the complex in both high-spin state and low-spin state.
- Why is there no case of high-spin and low-spin for a d8 system (Ni2+)? Explain in the light of VBT citing examples.

UNIT-II

5. Answer any three questions: 3×3

- (a) Give reasons—
 - (i) why Zn, Cd, Hg are not regarded as true transition elements;
- (ii) why $[Ti(H_2O)_6]^{3+}$ ion is violet.

11/2+11/2=3

(b) Explain the Latimer and Ebsworth diagram to account the stability of various oxidation states and e.m.f.

3

(d) Give reasons for the following:

11/2+11/2=3

- (i) Ti⁴⁺ ion is more stable than Ti³⁺ ion.
- (ii) [CoF₆]³⁻ is paramagnetic.
- 6. Find the number of unpaired electrons and calculate the spin-only magnetic moment in the following complexes:
 - [Fe(H₂O)₆]²⁺
 - (ii) [Co(CN)6]3-

UNIT-III

7. Answer any two questions: 2×2^{-4}

- (a) What are the consequences of lanthanide contraction?
- "Cerium is the only lanthanide which is stable in (+4) oxidation state." Justify the statement.
- Sm²⁺ is a good reducing agent and Ce⁴⁺ is a good oxidizing agent. Explain.

(Continued)

UNIT-IV

8. Answer any two questions:

4×2=8

- (a) Discuss the structure and function of carboxypeptidase. 2+2=4
- Draw the structure of haemoglobin. How does it help in oxygen 2+2=4 transport?
- Discuss the poisoning effect of Hg in human body. How can it be 3+1=4 treated?
